Catalogue no. 89-637-X — No. 005
ISSN 1710-0224
ISBN 978-1-100-11588-7

Tables Report

Aboriginal Peoples Survey, 2006

An Overview of the Health of the Métis Population: Supporting Data Tables

Social and Aboriginal Statistics Division
Jean Talon Building, 7th Floor, 170 Tunney's Pasture Driveway
Ottawa, Ontario K1A 0T6

Statistics Canada Statistique Canada

Canada

How to obtain more information

For information about this product or the wide range of services and data available from Statistics Canada, visit our website at www.statcan.gc.ca or contact us by e-mail at infostats@statcan.gc.ca or by telephone from 8:30 a.m. to 4:30 p.m. Monday to Friday:

Statistics Canada national contact centre
Toll-free telephone (Canada and the United States):

Inquiries line	1-800-263-1136
National telecommunications device for the hearing impaired	1-800-363-7629
Fax line	1-877-287-4369
Depository services program inquiries line	1-800-753-7943
Depository services program fax line	1-800-565-7757

Local or international calls:

Inquiries line	1-613-951-8116
Fax line	1-613-951-0581

Information to access the product

This product, catalogue no. 89-637-X no. 005 is available for free in alternate format. To obtain a single issue, visit our website at www.statcan.gc.ca and select "Publications."

Standards of service to the public

Statistics Canada is committed to serving its clients in a prompt, reliable and courteous manner. To this end, the Agency has developed standards of service which its employees observe in serving its clients. To obtain a copy of these service standards, please contact Statistics Canada toll free at 1-800-263-1136. The service standards are also published on www.statcan.gc.ca "About us" > "Providing services to Canadians."

Statistics Canada
Social and Aboriginal Statistics Division

Aboriginal Peoples Survey, 2006

An Overview of the Health of the Métis Population: Supporting Data Tables

Published by authority of the Minister responsible for Statistics Canada

© Minister of Industry, 2009

All rights reserved. The content of this electronic publication may be reproduced, in whole or in part, and by any means, without further permission from Statistics Canada, subject to the following conditions: that it be done solely for the purposes of private study, research, criticism, review or newspaper summary, and/or for non-commercial purposes; and that Statistics Canada be fully acknowledged as follows: Source (or "Adapted from", if appropriate): Statistics Canada, year of publication, name of product, catalogue number, volume and issue numbers, reference period and page(s). Otherwise, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form, by any means—electronic, mechanical or photocopy—or for any purposes without prior written permission of Licensing Services, Client Services Division, Statistics Canada, Ottawa, Ontario, Canada K1A 0T6.

March 2009

Catalogue no. 89-637-X no. 005

ISSN 1710-0224

ISBN 978-1-100-11588-7

Frequency: Occasional

Ottawa

La version française de cette publication est disponible sur demande (nº 89-637-X nº 005 au catalogue).

Note of appreciation

Canada owes the success of its statistical system to a long-standing partnership between Statistics Canada, the citizens of Canada, its businesses, governments and other institutions. Accurate and timely statistical information could not be produced without their continued cooperation and goodwill.

Symbols

The following standard symbols are used in Statistics Canada publications:

.	not available for any reference period
..	not available for a specific reference period
...	not applicable
0	true zero or a value rounded to zero
0^s	value rounded to 0 (zero) where there is a meaningful distinction between true zero and the value that was rounded
^{p}	preliminary
^{r}	revised
x	suppressed to meet the confidentiality requirements of the *Statistics Act*
^{E}	use with caution
F	too unreliable to be published

Table of contents

Table 1.1
Self-rated health status, Métis adults aged 15 and over, by sex and age group, Canada, 2006 9
Table 1.2
Self-rated health status, Métis adults aged 15 and over, by sex and age group, Atlantic region, 2006 10
Table 1.3
Self-rated health status, Métis adults aged 15 and over, by sex and age group, Quebec, 2006 11
Table 1.4
Self-rated health status, Métis adults aged 15 and over, by sex and age group, Ontario, 2006 12
Table 1.5
Self-rated health status, Métis adults aged 15 and over, by sex and age group, Manitoba, 2006 13
Table 1.6
Self-rated health status, Métis adults aged 15 and over, by sex and age group, Saskatchewan, 2006 14
Table 1.7
Self-rated health status, Métis adults aged 15 and over, by sex and age group, Alberta, 2006 15
Table 1.8
Self-rated health status, Métis adults aged 15 and over, by sex and age group, British Columbia, 2006 16
Table 1.9
Self-rated health status, Métis adults aged 15 and over, by sex and age group, territories, 2006 17
Table 2
Self-rated health status of Métis children aged 6 to 14, by sex, Canada, provinces and territories, 2006 18
Table 3.1
Chronic conditions: arthritis/rheumatism, Métis adults aged 15 and over, by sex, Canada, provinces and territories, 2006 19
Table 3.2
Chronic conditions: high blood pressure, Métis adults aged 15 and over, by sex, Canada, provinces and territories, 2006 20
Table 3.3
Chronic conditions: stomach problems or intestinal ulcers, Métis adults aged 15 and over, by sex, Canada, provinces and territories, 2006 21
Table 3.4
Chronic conditions: asthma, Métis adults aged 15 and over, by sex, Canada, provinces and territories, 2006 .. 22
Table 3.5
Chronic conditions: diabetes, Métis adults aged 15 and over, by sex, Canada, provinces and territories, 2006 23
Table 4
Frequency of sports participation, including taking lessons, Métis children aged 6 to 14, by sex, Canada, provinces and territories, 2006 24
Table 5.1
Métis adults aged 15 and over who have a regular family doctor, by sex and age, Canada, 2006 25
Table 5.2
Métis adults aged 15 and over who have a regular family doctor, by sex and age, Atlantic region, 2006 26
Table 5.3
Métis adults aged 15 and over who have a regular family doctor, by sex and age, Quebec, 2006 27
Table 5.4
Métis adults aged 15 and over who have a regular family doctor, by sex and age, Ontario, 2006 28
Table 5.5
Métis adults aged 15 and over who have a regular family doctor, by sex and age, Manitoba, 2006 29
Table 5.6
Métis adults aged 15 and over who have a regular family doctor, by sex and age, Saskatchewan, 2006 30

Table 5.7
Métis adults aged 15 and over who have a regular family doctor, by sex and age, Alberta, 2006 31
Table 5.8
Métis adults aged 15 and over who have a regular family doctor, by sex and age, British Columbia, 2006 32
Table 5.9
Métis adults aged 15 and over who have a regular family doctor, by sex and age, territories, 2006 33
Table 6
Contact with a pediatrician, general practitioner or family physician in past 12 months, Métis children aged 6 to 14, by sex, Canada, provinces and territories, 2006 34
Table 7
Métis adults aged 15 and over who did not receive health care when needed, by sex, Canada, provinces and territories, 2006 35

Introduction

About the Aboriginal Peoples Survey

The Aboriginal Peoples Survey is a national survey of Aboriginal peoples (First Nations peoples living off-reserve, Métis and Inuit) living in urban, rural and northern locations throughout Canada. The survey provides valuable data on the social and economic conditions of Aboriginal children and youth (6 to 14 years) and Aboriginal adults (15 years and over).

The Aboriginal Peoples Survey was developed and implemented in partnership with the following National Aboriginal Organizations:

- Congress of Aboriginal Peoples (CAP);
- Inuit Tapiriit Kanatami (ITK);
- Métis National Council (MNC);
- National Association of Friendship Centres (NAFC);
- Native Women's Association of Canada (NWAC).

The survey was funded by a Consortium of federal departments including Indian and Northern Affairs Canada (INAC), Human Resources and Social Development Canada (HRSDC), Health Canada (HC), Canada Mortgage and Housing Corporation (CMHC) and Canadian Heritage (CH).

The survey includes a broad range of topics such as Aboriginal identity and ancestry, education, language, labour activity, income, health, communication technology, mobility, housing and family background.

Aboriginal organizations, governments at all levels, service providers and researchers will be able to use information from the APS to:

- Inform decision-making (Program / Policy planning and development);
- Support academic research (Educators and researchers).

The Aboriginal Peoples Survey (APS) is a post-censal survey, that is, the sample was selected from people living in private households whose response on their 2006 Census questionnaire indicated that they:

- had Aboriginal ancestors and/or
- identified as North American Indian and/or Métis and/or Inuit, and/or
- had treaty or registered Indian status and/or
- were members of an Indian band or First Nation.

This series of supporting data tables accompanies the Métis analytical article from the 2006 Aboriginal Peoples Survey. These tables provide data at the provincial/regional level for the Métis identity population (aged 15 and older) for some of the major themes covered in the analytical article, including: self rated health status; percentage diagnosed with arthritis/rheumatism, high blood pressure, stomach problems or intestinal ulcers, asthma and diabetes; having a regular family doctor; and not receiving health care when needed. For Métis children aged 6 to 14, tables include: self-rated health status; frequency of participation in sports and; contact with a pediatrician, general practitioner or family physician in the past 12 months.

More detailed information about the survey is available in the *Aboriginal Peoples Survey 2006 Concepts and Methods Guide* (catalogue number 89-637-X 2008003).

Aboriginal people living in Indian settlements and reserves in the 10 provinces were not included in the 2006 Aboriginal Peoples Survey.

Percents may not add up to 100% because reponses of 'don't know', 'refusal' and 'not stated' were included in the calculation of all estimates and rounding.

Whenever a subsequent question is asked for a subgroup defined by a previous filter question, the following rule is used concerning the "not stated". By using a top down approach in processing, all "not stated" from the filter question are included in the denominator of the subsequent question. Different percentages to the categories of the subsequent question would be obtained if these 'not stated" were not included in the denominator.

"Not stated' includes 'not stated', 'don't know' and 'refusal'.

'Atlantic Provinces' includes Newfoundland and Labrador, Prince Edward Island, Nova Scotia and New Brunswick combined. 'Territories' includes the Yukon, Northwest Territories and Nunavut combined.

Table 1.1
Self-rated health status, Métis adults aged 15 and over, by sex and age group, Canada, 2006

Age and sex	Total		Excellent or very good			Good			Fair or poor			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to	%	from	to
Both sexes	**340,440**	**100**	**58**	**57.1**	**59.8**	**25**	**24.3**	**26.7**	**16**	**14.8**	**16.8**	**F**	**F**	**F**
15 to 19	43,800	100	75	71.6	77.7	19	16.1	21.9	6	4.7	8.0	x	x	x
20 to 24	32,430	100	70	65.9	73.7	24	20.3	27.5	6 [E]	4.4	9.0	x	x	x
25 to 34	64,710	100	70	66.9	72.7	23	20.6	26.0	7	5.5	8.5	x	x	x
35 to 44	72,160	100	60	56.8	62.6	25	22.3	27.4	15	13.0	17.6	x	x	x
45 to 54	66,110	100	50	46.7	52.4	30	27.6	33.0	20	17.9	22.7	x	x	x
55 to 64	38,060	100	40	36.3	43.8	30	27.1	34.1	29	26.1	33.0	x	x	x
65 and over	23,170	100	32	27.4	37.2	27	23.2	32.3	39	34.3	44.1	x	x	x
Male	**160,310**	**100**	**59**	**57.2**	**61.0**	**26**	**24.2**	**27.7**	**15**	**13.5**	**16.2**	**x**	**x**	**x**
15 to 19	21,760	100	78	74.2	82.3	17	13.5	21.2	5 [E]	2.8	7.0	x	x	x
20 to 24	14,080	100	72	66.1	77.3	23	18.3	28.8	5 [E]	2.7	8.3	x	x	x
25 to 34	28,970	100	72	67.6	76.2	22	18.7	26.8	5 [E]	3.7	7.6	x	x	x
35 to 44	32,770	100	60	55.3	63.9	25	21.4	29.5	14	11.6	17.9	x	x	x
45 to 54	31,550	100	50	46.0	54.3	32	27.8	35.9	18	15.1	21.5	x	x	x
55 to 64	19,850	100	39	34.2	44.6	31	26.8	36.3	29	24.7	34.0	x	x	x
65 and over	11,330	100	30	24.6	36.9	31	24.9	37.9	38	31.7	45.2	x	x	x
Female	**180,130**	**100**	**58**	**56.1**	**59.8**	**25**	**23.5**	**26.8**	**17**	**15.3**	**18.1**	**x**	**x**	**x**
15 to 19	22,040	100	71	66.0	75.5	21	16.7	25.4	8 [E]	5.6	10.7	x	x	x
20 to 24	18,350	100	68	62.8	73.4	24	19.6	29.3	8 [E]	4.7	11.9	x	x	x
25 to 34	35,730	100	68	63.9	72.0	24	20.2	27.7	8	6.2	10.4	x	x	x
35 to 44	39,400	100	60	55.6	63.7	24	21.1	28.1	16	12.8	19.2	x	x	x
45 to 54	34,560	100	49	45.0	53.0	29	25.4	32.6	22	18.8	25.9	x	x	x
55 to 64	18,210	100	41	35.3	46.4	29	24.6	34.9	30	24.8	35.3	x	x	x
65 and over	11,840	100	34	26.8	41.4	24	18.7	30.5	40	32.9	47.4	x	x	x

Note: Percentages may not add up to 100% due to rounding.
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 1.2
Self-rated health status, Métis adults aged 15 and over, by sex and age group, Atlantic region, 2006

Age and sex	Total		Excellent or very good			Good			Fair or poor			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to	%	from	to
Both sexes	**17,980**	**100**	**61**	**56.5**	**65.4**	**24**	**20.3**	**28.1**	**15**	**11.8**	**18.7**	**x**	**x**	**x**
15 to 19	1,750	100	74	59.2	84.3	24 [E]	14.0	38.5	x	x	x	x	x	x
20 to 24	1,580	100	84	68.7	92.0	x	x	x	x	x	x	x	x	x
25 to 34	2,950	100	69	58.4	78.6	23 [E]	15.1	33.9	x	x	x	x	x	x
35 to 44	3,720	100	62	51.6	71.2	27	19.3	36.7	11 [E]	5.9	19.5	x	x	x
45 to 54	4,230	100	57	47.1	67.1	25 [E]	16.8	34.7	18 [E]	12.2	25.7	x	x	x
55 to 64	2,410	100	44	31.1	57.3	24 [E]	14.8	36.2	32 [E]	20.8	46.4	x	x	x
65 and over	1,350	100	41 [E]	26.5	56.4	F	F	F	36 [E]	22.2	51.8	x	x	x
Male	**9,050**	**100**	**58**	**51.3**	**63.7**	**26**	**21.1**	**32.3**	**16**	**11.6**	**21.7**	**x**	**x**	**x**
15 to 19	1,020 [E]	100	72	51.0	85.6	F	F	F	x	x	x	x	x	x
20 to 24	640 [E]	100	61 [E]	36.2	81.4	x	x	x	x	x	x	x	x	x
25 to 34	1,150 [E]	100	76	57.8	86.9	x	x	x	x	x	x	x	x	x
35 to 44	1,800	100	57	42.6	69.5	31 [E]	19.4	44.3	x	x	x	x	x	x
45 to 54	2,380	100	60	45.7	72.8	24 [E]	13.2	38.3	16 [E]	9.5	27.3	x	x	x
55 to 64	1,380 [E]	100	38 [E]	23.4	54.2	F	F	F	36 [E]	21.6	53.3	x	x	x
65 and over	680 [E]	100	40 [E]	21.1	61.9	x	x	x	x	x	x	x	x	x
Female	**8,930**	**100**	**65**	**58.1**	**70.5**	**22**	**16.8**	**27.2**	**14**	**10.0**	**18.9**	**x**	**x**	**x**
15 to 19	730 [E]	100	77	55.3	89.9	x	x	x	x	x	x	x	x	x
20 to 24	950 [E]	100	98	88.5	99.8	x	x	x	x	x	x	x	x	x
25 to 34	1,800	100	66	51.3	77.9	26 [E]	15.5	41.3	x	x	x	x	x	x
35 to 44	1,910	100	67	52.4	78.8	24 [E]	14.5	37.2	x	x	x	x	x	x
45 to 54	1,850	100	54	40.9	66.5	26 [E]	16.4	39.1	20 [E]	11.6	31.7	x	x	x
55 to 64	1,020 [E]	100	F	F	F	x	x	x	x	x	x	x	x	x
65 and over	680 [E]	100	x	x	x	x	x	x	41 [E]	22.1	63.7	x	x	x

Notes:
Atlantic region include Newfoundland and Labrador, Prince Edward Island, Nova Scotia and New Brunswick.
Percentages may not add up to 100% due to rounding.
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 1.3
Self-rated health status, Métis adults aged 15 and over, by sex and age group, Quebec, 2006

Age and sex	Total		Excellent or very good			Good			Fair or poor			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to	%	from	to
Both sexes	**32,650**	**100**	**58**	**53.6**	**62.9**	**25**	**21.1**	**29.7**	**17**	**13.3**	**20.4**	**x**	**x**	**x**
15 to 19	3,080 [E]	100	67	45.5	82.8	F	F	F	x	x	x	x	x	x
20 to 24	1,940	100	80	68.6	88.0	15 [E]	8.1	25.6	x	x	x	x	x	x
25 to 34	5,760	100	72	60.7	81.0	26 [E]	16.6	37.0	x	x	x	x	x	x
35 to 44	6,620	100	65	54.2	73.7	23 [E]	15.1	32.4	13 [E]	7.5	21.2	x	x	x
45 to 54	5,870	100	54	46.0	62.1	24	17.8	32.0	22	15.9	28.8	x	x	x
55 to 64	6,140	100	45	33.1	57.2	29 [E]	19.1	40.5	27 [E]	17.2	38.6	x	x	x
65 and over	3,240	100	33 [E]	20.7	48.6	25 [E]	16.5	36.6	42 [E]	26.9	57.9	x	x	x
Male	**14,930**	**100**	**58**	**50.9**	**63.9**	**28**	**22.2**	**33.7**	**15**	**10.7**	**20.4**	**x**	**x**	**x**
15 to 19	1,520 [E]	100	74 [E]	44.6	90.4	x	x	x	x	x	x	x	x	x
20 to 24	780 [E]	100	72	52.2	85.9	x	x	x	x	x	x	x	x	x
25 to 34	2,880 [E]	100	68	48.8	82.6	F	F	F	x	x	x	x	x	x
35 to 44	2,710	100	70	57.3	79.7	23 [E]	13.7	34.5	8 [E]	4.2	14.4	x	x	x
45 to 54	2,710	100	51	39.6	61.2	26 [E]	17.5	37.5	23 [E]	15.3	33.8	x	x	x
55 to 64	3,040	100	45 [E]	30.6	60.5	30 [E]	19.8	43.5	F	F	F	x	x	x
65 and over	1,290 [E]	100	26 [E]	13.6	42.5	34 [E]	18.9	53.8	F	F	F	x	x	x
Female	**17,720**	**100**	**59**	**52.2**	**65.3**	**23**	**17.8**	**29.4**	**18**	**13.3**	**23.8**	**x**	**x**	**x**
15 to 19	1,560 [E]	100	60 [E]	32.5	82.5	F	F	F	x	x	x	x	x	x
20 to 24	1,160 [E]	100	85	70.4	93.4	x	x	x	x	x	x	x	x	x
25 to 34	2,880	100	76	65.4	84.0	19 [E]	12.3	29.5	x	x	x	x	x	x
35 to 44	3,910	100	61	45.8	74.3	F	F	F	F	F	F	x	x	x
45 to 54	3,160	100	57	45.3	68.6	22 [E]	14.1	33.6	20 [E]	12.8	30.6	x	x	x
55 to 64	3,100 [E]	100	45 [E]	26.9	63.8	F	F	F	29 [E]	15.5	46.6	x	x	x
65 and over	1,950 [E]	100	F	F	F	19 [E]	10.4	32.9	F	F	F	x	x	x

Note: Percentages may not add up to 100% due to rounding.
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 1.4
Self-rated health status, Métis adults aged 15 and over, by sex and age group, Ontario, 2006

Age and sex	Total		Excellent or very good			Good			Fair or poor			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to	%	from	to
Both sexes	**70,820**	**100**	**58**	**54.8**	**61.4**	**25**	**22.1**	**27.6**	**17**	**14.5**	**19.5**	**x**	**x**	**x**
15 to 19	8,550	100	81	73.3	87.2	13 [E]	7.7	19.9	F	F	F	x	x	x
20 to 24	6,260	100	65	54.4	75.1	26 [E]	17.7	37.2	F	F	F	x	x	x
25 to 34	11,690	100	68	60.9	74.9	25	18.9	32.3	7 [E]	4.1	10.8	x	x	x
35 to 44	15,840	100	60	52.6	67.3	22	17.2	28.7	17 [E]	12.0	24.4	x	x	x
45 to 54	16,060	100	49	41.9	55.8	29	22.8	35.7	22	16.7	29.2	x	x	x
55 to 64	8,190	100	41	33.4	50.0	33	25.3	41.0	26	19.0	34.3	x	x	x
65 and over	4,230	100	32 [E]	19.5	47.8	24 [E]	15.1	36.0	39 [E]	25.7	53.1	x	x	x
Male	**35,440**	**100**	**60**	**55.4**	**64.5**	**24**	**20.3**	**28.2**	**16**	**12.6**	**19.9**	**x**	**x**	**x**
15 to 19	4,530	100	84	71.8	91.1	x	x	x	x	x	x	x	x	x
20 to 24	2,730	100	77	59.5	88.8	x	x	x	x	x	x	x	x	x
25 to 34	4,700	100	71	59.4	79.7	25 [E]	16.4	35.9	x	x	x	x	x	x
35 to 44	8,560	100	59	49.4	67.8	24 [E]	17.0	33.3	17 [E]	10.7	25.6	x	x	x
45 to 54	8,200	100	52	42.0	61.2	31 [E]	22.4	40.9	17 [E]	11.1	26.3	x	x	x
55 to 64	4,450	100	44	32.7	55.2	27 [E]	17.9	38.6	29 [E]	19.8	41.3	x	x	x
65 and over	2,270 [E]	100	37 [E]	22.1	55.4	25 [E]	13.3	42.1	F	F	F	x	x	x
Female	**35,380**	**100**	**56**	**51.4**	**60.8**	**25**	**21.8**	**29.5**	**18**	**14.4**	**21.7**	**x**	**x**	**x**
15 to 19	4,020	100	78	66.7	87.0	14 [E]	7.4	25.3	x	x	x	x	x	x
20 to 24	3,530	100	56	42.4	69.1	33 [E]	21.4	47.8	x	x	x	x	x	x
25 to 34	6,990	100	67	56.7	75.5	25 [E]	17.1	35.3	8 [E]	4.6	14.0	x	x	x
35 to 44	7,280	100	62	49.8	72.3	20 [E]	13.6	29.5	18 [E]	9.9	30.2	x	x	x
45 to 54	7,860	100	46	36.2	55.9	27 [E]	18.9	36.2	27 [E]	19.0	38.0	x	x	x
55 to 64	3,740	100	39 [E]	27.2	52.0	39	28.0	52.0	22 [E]	12.9	34.4	x	x	x
65 and over	1,970 [E]	100	x	x	x	23 [E]	11.4	40.5	39 [E]	21.0	61.1	x	x	x

Note: Percentages may not add up to 100% due to rounding.
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 1.5
Self-rated health status, Métis adults aged 15 and over, by sex and age group, Manitoba, 2006

Age and sex	Total		Excellent or very good			Good			Fair or poor			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to	%	from	to
Both sexes	**54,220**	**100**	**60**	**56.3**	**63.2**	**26**	**22.9**	**29.2**	**14**	**11.7**	**16.6**	**x**	**x**	**x**
15 to 19	7,900	100	73	64.9	79.6	20 [E]	13.8	27.1	8 [E]	4.2	13.2	x	x	x
20 to 24	4,730	100	73	62.1	81.8	25 [E]	16.5	36.2	x	x	x	x	x	x
25 to 34	10,660	100	76	67.6	82.7	17 [E]	11.4	24.0	F	F	F	x	x	x
35 to 44	10,750	100	59	50.7	67.2	26	18.9	33.8	14 [E]	9.4	21.4	x	x	x
45 to 54	11,320	100	48	40.5	55.7	34	26.5	41.3	18	13.2	25.1	x	x	x
55 to 64	5,100	100	45	33.4	57.3	29 [E]	19.1	41.9	25 [E]	16.8	35.6	x	x	x
65 and over	3,750	100	27 [E]	17.7	39.6	40	28.0	53.0	32 [E]	22.2	43.6	x	x	x
Male	**24,870**	**100**	**61**	**55.5**	**65.7**	**27**	**21.9**	**31.8**	**13**	**9.7**	**16.2**	**x**	**x**	**x**
15 to 19	3,620	100	80	68.2	87.8	16 [E]	8.7	27.5	x	x	x	x	x	x
20 to 24	1,960 [E]	100	70	53.1	83.2	F	F	F	x	x	x	x	x	x
25 to 34	4,930	100	82	70.9	89.2	11 [E]	5.9	19.7	x	x	x	x	x	x
35 to 44	4,540	100	60	46.7	72.8	29 [E]	18.3	43.6	x	x	x	x	x	x
45 to 54	5,130	100	45	33.7	56.4	38	26.9	50.5	17 [E]	10.6	26.7	x	x	x
55 to 64	2,820 [E]	100	46 [E]	29.3	64.0	F	F	F	24 [E]	13.4	40.1	x	x	x
65 and over	1,870 [E]	100	F	F	F	48 [E]	31.3	64.7	28 [E]	16.4	43.0	x	x	x
Female	**29,350**	**100**	**59**	**54.3**	**63.6**	**25**	**21.5**	**29.8**	**15**	**12.0**	**18.9**	**x**	**x**	**x**
15 to 19	4,280	100	67	55.1	77.1	23 [E]	14.4	33.6	F	F	F	x	x	x
20 to 24	2,770	100	75	60.7	85.4	25 [E]	14.1	38.8	x	x	x	x	x	x
25 to 34	5,730	100	71	58.9	80.5	22 [E]	13.5	32.9	F	F	F	x	x	x
35 to 44	6,220	100	58	47.5	68.3	23 [E]	15.3	33.1	18 [E]	10.8	27.0	x	x	x
45 to 54	6,190	100	51	40.8	60.6	30	21.4	39.8	20 [E]	12.2	29.6	x	x	x
55 to 64	2,290	100	44 [E]	29.5	59.1	31 [E]	17.7	47.1	26 [E]	15.3	40.1	x	x	x
65 and over	1,880 [E]	100	30 [E]	16.5	48.3	F	F	F	36 [E]	21.4	54.1	x	x	x

Note: Percentages may not add up to 100% due to rounding.
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 1.6
Self-rated health status, Métis adults aged 15 and over, by sex and age group, Saskatchewan, 2006

Age and sex	Total		Excellent or very good			Good			Fair or poor			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to	%	from	to
Both sexes	**36,400**	**100**	**56**	**52.7**	**58.5**	**27**	**24.1**	**29.2**	**18**	**15.6**	**19.9**	**x**	**x**	**x**
15 to 19	5,870	100	74	67.8	80.1	20	14.6	25.9	5 [E]	2.8	8.5	x	x	x
20 to 24	4,220	100	68	60.3	75.4	27	20.5	35.2	x	x	x	x	x	x
25 to 34	8,010	100	66	60.2	71.4	23	18.4	28.5	11 [E]	7.4	15.1	x	x	x
35 to 44	6,760	100	54	46.7	60.5	28	22.1	34.9	18	13.0	24.2	x	x	x
45 to 54	6,150	100	39	33.2	45.8	35	28.9	41.5	26	20.2	32.1	x	x	x
55 to 64	3,140	100	31	23.3	40.4	30	21.8	39.1	39	30.0	49.0	x	x	x
65 and over	2,250	100	30 [E]	20.4	41.1	23 [E]	14.8	34.6	47	35.9	58.5	x	x	x
Male	**17,070**	**100**	**59**	**54.7**	**62.9**	**24**	**21.0**	**28.2**	**17**	**13.7**	**20.0**	**x**	**x**	**x**
15 to 19	2,920	100	80	71.9	86.4	16 [E]	10.2	23.7	x	x	x	x	x	x
20 to 24	1,890	100	72	59.1	81.9	22 [E]	12.8	34.5	x	x	x	x	x	x
25 to 34	3,680	100	68	59.6	75.7	22	15.9	30.1	10 [E]	5.4	16.4	x	x	x
35 to 44	3,080	100	57	46.3	67.0	27 [E]	19.3	37.3	15 [E]	8.5	25.4	x	x	x
45 to 54	2,610	100	42	32.3	52.3	32	23.4	41.9	26 [E]	17.9	36.3	x	x	x
55 to 64	1,840	100	35 [E]	24.7	48.2	32 [E]	21.2	44.3	33 [E]	22.3	45.4	x	x	x
65 and over	1,050 [E]	100	32 [E]	19.1	49.2	x	x	x	47 [E]	31.1	62.9	x	x	x
Female	**19,330**	**100**	**53**	**48.7**	**56.6**	**28**	**25.0**	**32.1**	**19**	**15.7**	**21.7**	**x**	**x**	**x**
15 to 19	2,960	100	69	58.7	77.4	23 [E]	16.0	32.9	x	x	x	x	x	x
20 to 24	2,320	100	66	55.2	74.4	32	23.0	41.9	x	x	x	x	x	x
25 to 34	4,320	100	64	55.7	71.8	24	17.3	32.0	12 [E]	7.2	18.0	x	x	x
35 to 44	3,680	100	51	41.7	60.2	29	20.6	38.5	20 [E]	13.7	29.1	x	x	x
45 to 54	3,550	100	37	29.8	45.7	37	29.4	45.7	25	18.7	33.5	x	x	x
55 to 64	1,300	100	25 [E]	15.1	38.4	27 [E]	16.6	40.8	48	33.8	62.4	x	x	x
65 and over	1,190	100	28 [E]	16.0	42.8	25 [E]	14.1	41.0	48	32.8	62.5	x	x	x

Note: Percentages may not add up to 100% due to rounding.
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 1.7
Self-rated health status, Métis adults aged 15 and over, by sex and age group, Alberta, 2006

Age and sex	Total		Excellent or very good			Good			Fair or poor			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to	%	from	to
Both sexes	**73,100**	**100**	**61**	**58.2**	**63.4**	**24**	**21.7**	**26.4**	**15**	**13.1**	**16.9**	**x**	**x**	**x**
15 to 19	9,610	100	81	75.1	85.3	15	10.6	20.1	5 [E]	2.5	8.2	x	x	x
20 to 24	8,030	100	74	66.3	79.8	20	14.5	27.0	6 [E]	3.5	11.2	x	x	x
25 to 34	16,070	100	68	61.6	73.6	25	19.5	31.3	7 [E]	4.4	10.9	x	x	x
35 to 44	16,420	100	61	55.0	66.1	24	19.3	29.0	14	10.9	18.9	x	x	x
45 to 54	11,200	100	55	48.8	61.4	28	22.2	33.5	17	13.1	22.7	x	x	x
55 to 64	7,380	100	33	26.3	40.7	36	28.6	44.0	31	24.1	38.7	x	x	x
65 and over	4,390	100	30 [E]	20.4	41.4	19 [E]	11.6	29.1	50	39.1	61.8	x	x	x
Male	**33,950**	**100**	**61**	**57.1**	**64.7**	**25**	**21.2**	**28.2**	**14**	**11.5**	**16.5**	**x**	**x**	**x**
15 to 19	4,840	100	80	71.7	86.7	15 [E]	9.2	23.0	x	x	x	x	x	x
20 to 24	3,770	100	77	66.2	84.7	20 [E]	12.2	30.2	x	x	x	x	x	x
25 to 34	7,340	100	69	59.5	77.3	26 [E]	18.5	35.6	x	x	x	x	x	x
35 to 44	6,870	100	59	50.6	67.5	24 [E]	16.8	32.3	15 [E]	9.7	21.4	x	x	x
45 to 54	5,710	100	58	49.2	66.8	27	19.2	35.6	15 [E]	9.8	22.6	x	x	x
55 to 64	3,320	100	24 [E]	15.9	35.0	43	31.3	55.3	33 [E]	22.8	44.9	x	x	x
65 and over	2,110	100	31 [E]	18.0	48.0	x	x	x	49 [E]	33.4	64.4	x	x	x
Female	**39,150**	**100**	**61**	**57.2**	**64.2**	**23**	**20.4**	**26.7**	**16**	**13.3**	**18.8**	**x**	**x**	**x**
15 to 19	4,770	100	81	72.5	87.6	15 [E]	9.1	22.7	x	x	x	x	x	x
20 to 24	4,260	100	71	60.1	79.7	20 [E]	12.9	30.5	x	x	x	x	x	x
25 to 34	8,730	100	67	58.2	74.5	24 [E]	17.0	32.6	9 [E]	5.3	15.6	x	x	x
35 to 44	9,560	100	62	54.3	68.6	24	18.2	30.8	14 [E]	9.6	20.8	x	x	x
45 to 54	5,490	100	52	43.1	60.6	28	21.2	37.0	20 [E]	13.4	27.9	x	x	x
55 to 64	4,060	100	40	30.5	51.3	30	21.6	40.5	29 [E]	20.6	39.9	x	x	x
65 and over	2,270	100	29 [E]	16.4	45.2	19 [E]	10.8	32.1	52	36.3	67.4	x	x	x

Note: Percentages may not add up to 100% due to rounding.
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 1.8
Self-rated health status, Métis adults aged 15 and over, by sex and age group, British Columbia, 2006

Age and sex	Total		Excellent or very good			Good			Fair or poor			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to	%	from	to
Both sexes	**51,590**	**100**	**56**	**52.1**	**59.3**	**28**	**24.7**	**31.4**	**16**	**13.8**	**18.8**	**x**	**x**	**x**
15 to 19	6,440	100	65	55.6	72.6	23 [E]	16.4	31.9	11 [E]	7.0	17.9	x	x	x
20 to 24	5,180	100	61	48.5	71.6	28 [E]	18.7	38.9	x	x	x	x	x	x
25 to 34	8,960	100	71	62.7	77.6	24	17.5	31.9	5 [E]	2.9	9.6	x	x	x
35 to 44	11,300	100	58	50.3	65.1	26	19.8	34.3	16 [E]	11.1	21.8	x	x	x
45 to 54	10,650	100	47	39.6	53.6	34	27.6	41.6	19	14.3	24.9	x	x	x
55 to 64	5,340	100	41	31.8	51.1	26	18.8	34.4	33	24.1	42.4	x	x	x
65 and over	3,720	100	38	27.4	50.7	36 [E]	24.2	49.2	26 [E]	16.9	37.6	x	x	x
Male	**23,200**	**100**	**55**	**49.7**	**60.4**	**29**	**24.6**	**34.9**	**15**	**12.1**	**19.0**	**x**	**x**	**x**
15 to 19	3,090	100	70	56.4	81.2	24 [E]	14.2	38.1	x	x	x	x	x	x
20 to 24	1,990 [E]	100	62	44.4	77.0	33 [E]	19.1	49.9	x	x	x	x	x	x
25 to 34	4,000	100	73	60.6	82.9	22 [E]	12.9	33.9	x	x	x	x	x	x
35 to 44	4,890	100	58	45.2	70.1	F	F	F	18 [E]	10.9	29.7	x	x	x
45 to 54	4,490	100	42	32.1	52.8	40	29.8	51.5	17 [E]	10.8	26.5	x	x	x
55 to 64	2,800	100	42 [E]	28.4	56.4	30 [E]	20.0	43.5	27 [E]	17.0	40.1	x	x	x
65 and over	1,940	100	28 [E]	16.8	44.2	40 [E]	25.0	56.8	31 [E]	19.7	46.5	x	x	x
Female	**28,390**	**100**	**56**	**51.4**	**60.9**	**27**	**22.7**	**31.2**	**17**	**13.6**	**20.7**	**x**	**x**	**x**
15 to 19	3,350	100	59	47.3	70.2	22 [E]	13.7	34.3	17 [E]	9.7	27.2	x	x	x
20 to 24	3,180	100	60	43.5	74.1	25 [E]	14.0	39.3	x	x	x	x	x	x
25 to 34	4,970	100	69	57.6	78.0	26 [E]	17.3	36.8	x	x	x	x	x	x
35 to 44	6,410	100	58	48.4	66.4	29	20.9	38.1	14 [E]	8.5	21.1	x	x	x
45 to 54	6,160	100	50	40.5	59.1	30	21.8	39.4	20 [E]	13.9	28.7	x	x	x
55 to 64	2,540	100	41 [E]	28.0	54.2	21 [E]	12.1	33.4	39 [E]	25.9	53.3	x	x	x
65 and over	1,780 [E]	100	49 [E]	30.6	67.7	F	F	F	x	x	x	x	x	x

Note: Percentages may not add up to 100% due to rounding.
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 1.9
Self-rated health status, Métis adults aged 15 and over, by sex and age group, territories, 2006

Age and sex	Total		Excellent or very good			Good			Fair or poor			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to	%	from	to
Both sexes	**3,680**	**100**	**57**	**50.4**	**62.3**	**30**	**24.2**	**35.4**	**14**	**10.4**	**18.6**	**x**	**x**	**x**
15 to 19	590 [E]	100	68	48.2	81.7	F	F	F	x	x	x	x	x	x
20 to 24	490 [E]	100	67	47.5	81.0	x	x	x	x	x	x	x	x	x
25 to 34	610	100	72	57.1	83.8	F	F	F	x	x	x	x	x	x
35 to 44	750	100	61	48.0	73.8	36 [E]	24.0	49.6	x	x	x	x	x	x
45 to 54	620	100	50	37.7	63.2	34 [E]	22.7	46.8	16 [E]	9.0	26.1	x	x	x
55 to 64	370	100	27 [E]	15.9	41.7	35 [E]	22.4	51.0	38 [E]	22.9	55.2	x	x	x
65 and over	250 [E]	100	x	x	x	x	x	x	68	46.5	83.4	x	x	x
Male	**1,800**	**100**	**57**	**48.5**	**65.0**	**29**	**22.0**	**37.1**	**14** [E]	**9.3**	**20.9**	**x**	**x**	**x**
15 to 19	220 [E]	100	77	51.6	91.3	x	x	x	x	x	x	x	x	x
20 to 24	320 [E]	100	69 [E]	43.4	85.6	x	x	x	x	x	x	x	x	x
25 to 34	290 [E]	100	72	48.5	89.0	x	x	x	x	x	x	x	x	x
35 to 44	320 [E]	100	63	43.9	75.4	34 [E]	19.8	50.4	x	x	x	x	x	x
45 to 54	320 [E]	100	59	39.5	74.8	x	x	x	x	x	x	x	x	x
55 to 64	210 [E]	100	x	x	x	x	x	x	x	x	x	x	x	x
65 and over	120 [E]	100	x	x	x	x	x	x	F	F	F	x	x	x
Female	**1,880**	**100**	**56**	**47.4**	**64.2**	**30**	**22.5**	**38.9**	**14** [E]	**9.1**	**20.9**	**x**	**x**	**x**
15 to 19	370 [E]	100	62 [E]	37.2	81.0	x	x	x	x	x	x	x	x	x
20 to 24	180 [E]	100	x	x	x	x	x	x	x	x	x	x	x	x
25 to 34	320 [E]	100	72	51.8	85.6	x	x	x	x	x	x	x	x	x
35 to 44	430 [E]	100	63	42.3	79.0	F	F	F	x	x	x	x	x	x
45 to 54	300 [E]	100	43 [E]	26.8	59.3	40 [E]	24.1	56.8	x	x	x	x	x	x
55 to 64	160 [E]	100	x	x	x	x	x	x	x	x	x	x	x	x
65 and over	F	100	x	x	x	x	x	x	x	x	x	x	x	x

Notes:
Territories include Yukon, Northwest Territories and Nunavut.
Percentages may not add up to 100% due to rounding.
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 2
Self-rated health status of Métis children aged 6 to 14, by sex, Canada, provinces and territories, 2006

Geography and sex	Total		Excellent or very good			Good			Fair or poor			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to	%	from	to
Canada														
Both sexes	**73,670**	**100**	**84**	**82.8**	**85.1**	**13**	**11.7**	**13.8**	**3**	**2.7**	**3.8**	x	x	x
Boys	36,940	100	83	81.8	85.0	13	11.7	14.5	3	2.7	4.2	x	x	x
Girls	36,730	100	85	82.8	86.1	12	10.9	13.9	3	2.4	4.0	x	x	x
Atlantic Region														
Both sexes	**3,190**	**100**	**90**	**86.0**	**92.7**	**8 E**	**5.8**	**11.9**	x	x	x	x	x	x
Boys	1,610	100	90	84.9	93.4	9 E	5.4	13.3	x	x	x	x	x	x
Girls	1,580	100	90	83.5	93.8	8 E	4.7	13.9	x	x	x	x	x	x
Quebec														
Both sexes	**4,880**	**100**	**87**	**82.6**	**90.2**	**10 E**	**7.6**	**14.6**	x	x	x	x	x	x
Boys	2,390	100	90	83.9	93.9	8 E	4.3	13.7	x	x	x	x	x	x
Girls	2,480	100	84	77.2	88.9	13 E	8.8	19.4	x	x	x	x	x	x
Ontario														
Both sexes	**13,000**	**100**	**87**	**84.4**	**89.6**	**10**	**8.1**	**12.8**	**3 E**	**1.6**	**4.1**	x	x	x
Boys	6,150	100	85	80.4	88.8	12 E	8.6	16.4	3 E	1.6	5.5	x	x	x
Girls	6,850	100	89	85.6	92.0	9 E	6.2	11.9	x	x	x	x	x	x
Manitoba														
Both sexes	**12,970**	**100**	**83**	**79.2**	**85.5**	**14**	**11.1**	**16.7**	**4 E**	**2.3**	**5.9**	x	x	x
Boys	6,660	100	82	78.0	86.0	14	10.8	17.6	4 E	2.1	6.9	x	x	x
Girls	6,310	100	83	77.4	87.2	13	9.7	18.3	F	F	F	x	x	x
Saskatchewan														
Both sexes	**9,550**	**100**	**82**	**79.2**	**84.2**	**15**	**12.8**	**17.4**	**3 E**	**2.2**	**4.4**	x	x	x
Boys	5,010	100	80	76.1	83.2	17	13.6	20.1	3 E	2.1	5.4	x	x	x
Girls	4,540	100	84	80.0	87.3	13	10.0	17.0	3 E	1.6	4.6	x	x	x
Alberta														
Both sexes	**16,700**	**100**	**84**	**81.1**	**86.2**	**13**	**10.5**	**15.2**	**3 E**	**2.5**	**4.7**	x	x	x
Boys	8,470	100	84	79.9	87.2	12	9.2	16.1	4 E	2.5	5.7	x	x	x
Girls	8,240	100	84	80.2	86.9	13	10.3	16.5	3 E	1.8	4.9	x	x	x
British Columbia														
Both sexes	**12,450**	**100**	**81**	**77.7**	**83.7**	**15**	**12.4**	**17.8**	**4 E**	**2.8**	**5.7**	x	x	x
Boys	6,180	100	81	76.8	84.6	15	12.0	19.2	3 E	2.0	5.8	x	x	x
Girls	6,270	100	81	75.9	84.9	15	11.0	19.1	5 E	2.8	7.5	x	x	x
Territories														
Both sexes	**930**	**100**	**90**	**84.0**	**94.4**	**F**	**F**	**F**	x	x	x	x	x	x
Boys	470	100	87	78.8	94.4	x	x	x	x	x	x	x	x	x
Girls	460	100	91	82.2	96.6	x	x	x	x	x	x	x	x	x

Notes:
Atlantic region include Newfoundland and Labrador, Prince Edward Island, Nova Scotia and New Brunswick.
Territories include Yukon, Northwest Territories and Nunavut.
Percents may not add up to 100% because responses of 'don't know', 'refusal' and 'not stated' were included in the calculation of all estimates and rounding.
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 3.1
Chronic conditions: arthritis/rheumatism, Métis adults aged 15 and over, by sex, Canada, provinces and territories, 2006

Geography and sex	Total		Yes			No			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to
Canada											
Both sexes	**340,440**	**100**	**21**	**20.1**	**22.3**	**78**	**77.2**	**79.5**	**0** [E]	**0.3**	**0.8**
Male	160,310	100	18	16.7	19.6	81	79.6	82.6	1 [E]	0.4	1.2
Female	180,130	100	24	22.2	25.5	76	74.2	77.5	F	F	F
Atlantic Region											
Both sexes	**17,980**	**100**	**24**	**20.3**	**27.8**	**76**	**71.8**	**79.4**	**x**	**x**	**x**
Male	9,050	100	21	16.3	26.6	78	72.4	83.1	x	x	x
Female	8,930	100	27	21.5	32.6	73	67.4	78.5	x	x	x
Quebec											
Both sexes	**32,650**	**100**	**18**	**14.5**	**22.1**	**82**	**77.4**	**85.0**	**x**	**x**	**x**
Male	14,930	100	14	10.1	18.6	85	80.0	89.0	x	x	x
Female	17,720	100	21	15.9	28.3	79	71.7	84.1	x	x	x
Ontario											
Both sexes	**70,820**	**100**	**24**	**21.7**	**27.3**	**75**	**72.3**	**77.9**	**x**	**x**	**x**
Male	35,440	100	22	18.7	26.0	77	73.4	80.8	x	x	x
Female	35,380	100	27	22.7	31.1	73	68.6	77.1	x	x	x
Manitoba											
Both sexes	**54,220**	**100**	**21**	**18.1**	**23.9**	**79**	**75.6**	**81.6**	**x**	**x**	**x**
Male	24,870	100	17	13.9	21.8	82	77.1	85.4	x	x	x
Female	29,350	100	24	19.7	28.2	76	71.8	80.3	x	x	x
Saskatchewan											
Both sexes	**36,400**	**100**	**20**	**17.6**	**22.3**	**79**	**76.8**	**81.7**	**x**	**x**	**x**
Male	17,070	100	16	13.5	19.9	83	79.3	85.8	x	x	x
Female	19,330	100	23	19.7	26.3	76	72.7	79.5	x	x	x
Alberta											
Both sexes	**73,100**	**100**	**20**	**17.6**	**22.1**	**80**	**77.2**	**81.8**	**x**	**x**	**x**
Male	33,950	100	17	14.5	20.6	82	78.5	84.9	x	x	x
Female	39,150	100	22	18.9	25.2	78	74.3	80.6	x	x	x
British Columbia											
Both sexes	**51,590**	**100**	**22**	**18.9**	**24.5**	**78**	**75.2**	**80.7**	**x**	**x**	**x**
Male	23,200	100	17	13.7	21.6	82	78.0	85.9	x	x	x
Female	28,390	100	25	21.3	29.3	75	70.4	78.4	x	x	x
Territories											
Both sexes	**3,680**	**100**	**11**	**8.5**	**15.2**	**89**	**84.8**	**91.5**	**x**	**x**	**x**
Male	1,800	100	8 [E]	5.2	13.7	91	86.3	94.8	x	x	x
Female	1,880	100	14 [E]	9.6	20.5	86	79.5	90.4	x	x	x

Notes:
Atlantic region includes Newfoundland and Labrador, Prince Edward Island, Nova Scotia and New Brunswick.
Territories include Yukon, Northwest Territories and Nunavut.
Based on the question: "The next questions ask about long to term health conditions that you may have now. Long term health conditions are conditions that have lasted or are expected to last six months or more. Have you been told by a doctor, nurse or other health professional that you have....?"
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 3.2
Chronic conditions: high blood pressure, Métis adults aged 15 and over, by sex, Canada, provinces and territories, 2006

Geography and sex	Total		Yes			No			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to
Canada											
Both sexes	**340,440**	**100**	**16**	**15.0**	**17.0**	**83**	**82.4**	**84.4**	**1 E**	**0.4**	**0.9**
Male	160,310	100	17	15.4	18.2	82	81.0	83.9	1 E	0.5	1.3
Female	180,130	100	15	14.0	16.7	84	82.9	85.5	0 E	0.2	0.7
Atlantic Region											
Both sexes	**17,980**	**100**	**21**	**17.7**	**25.2**	**78**	**74.2**	**81.8**	**x**	**x**	**x**
Male	9,050	100	21	16.7	27.2	78	72.0	82.6	x	x	x
Female	8,930	100	21	15.9	27.1	79	72.5	83.7	x	x	x
Quebec											
Both sexes	**32,650**	**100**	**16**	**13.0**	**19.7**	**83**	**79.5**	**86.2**	**F**	**F**	**F**
Male	14,930	100	12	9.1	16.1	87	82.6	89.8	x	x	x
Female	17,720	100	19	14.7	25.2	80	74.4	84.9	x	x	x
Ontario											
Both sexes	**70,820**	**100**	**18**	**15.4**	**20.5**	**82**	**78.9**	**84.1**	**x**	**x**	**x**
Male	35,440	100	21	17.1	24.8	79	74.4	82.2	x	x	x
Female	35,380	100	15	11.9	18.6	85	81.0	87.8	x	x	x
Manitoba											
Both sexes	**54,220**	**100**	**14**	**11.7**	**16.4**	**86**	**83.2**	**88.0**	**x**	**x**	**x**
Male	24,870	100	14	11.3	18.5	85	80.6	88.1	x	x	x
Female	29,350	100	13	10.5	16.7	87	83.3	89.5	x	x	x
Saskatchewan											
Both sexes	**36,400**	**100**	**15**	**13.3**	**17.3**	**84**	**81.6**	**85.9**	**x**	**x**	**x**
Male	17,070	100	15	12.5	18.3	84	80.9	86.9	x	x	x
Female	19,330	100	15	12.6	18.2	84	80.6	86.5	x	x	x
Alberta											
Both sexes	**73,100**	**100**	**16**	**13.7**	**17.5**	**84**	**81.8**	**85.6**	**x**	**x**	**x**
Male	33,950	100	16	13.6	19.1	83	80.2	85.8	x	x	x
Female	39,150	100	15	12.6	17.8	84	81.5	86.8	x	x	x
British Columbia											
Both sexes	**51,590**	**100**	**15**	**13.0**	**17.8**	**84**	**81.7**	**86.6**	**x**	**x**	**x**
Male	23,200	100	16	13.0	20.2	83	79.1	86.4	x	x	x
Female	28,390	100	14	11.5	17.9	85	81.7	88.2	x	x	x
Territories											
Both sexes	**3,680**	**100**	**14**	**10.4**	**17.7**	**86**	**81.6**	**89.1**	**x**	**x**	**x**
Male	1,800	100	17 E	11.9	24.5	81	74.1	87.1	x	x	x
Female	1,880	100	10 E	6.9	14.9	90	85.1	93.1	x	x	x

Notes:
Atlantic region includes Newfoundland and Labrador, Prince Edward Island, Nova Scotia and New Brunswick.
Territories include Yukon, Northwest Territories and Nunavut.
Based on the question: "The next questions ask about long to term health conditions that you may have now. Long term health conditions are conditions that have lasted or are expected to last six months or more. Have you been told by a doctor, nurse or other health professional that you have....?"
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 3.3
Chronic conditions: stomach problems or intestinal ulcers, Métis adults aged 15 and over, by sex, Canada, provinces and territories, 2006

Geography and sex	Total		Yes			No			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to
Canada											
Both sexes	**340,440**	**100**	**12**	**11.2**	**12.9**	**87**	**86.4**	**88.1**	**1 [E]**	**0.5**	**1.0**
Male	160,310	100	11	9.4	11.7	88	87.2	89.7	1 [E]	0.7	1.6
Female	180,130	100	13	12.2	14.6	86	84.9	87.4	0 [E]	0.2	0.7
Atlantic Region											
Both sexes	**17,980**	**100**	**13**	**9.6**	**16.1**	**87**	**82.8**	**89.8**	**x**	**x**	**x**
Male	9,050	100	11 [E]	7.4	15.7	88	82.0	91.5	x	x	x
Female	8,930	100	14 [E]	10.1	19.6	86	80.4	89.9	x	x	x
Quebec											
Both sexes	**32,650**	**100**	**11**	**8.6**	**14.0**	**88**	**85.0**	**90.6**	**x**	**x**	**x**
Male	14,930	100	12	8.3	15.8	87	82.1	90.1	x	x	x
Female	17,720	100	11 [E]	7.4	15.1	89	84.9	92.6	x	x	x
Ontario											
Both sexes	**70,820**	**100**	**13**	**10.7**	**15.3**	**87**	**84.2**	**88.8**	**x**	**x**	**x**
Male	35,440	100	11	8.5	14.6	88	84.6	90.8	x	x	x
Female	35,380	100	14	11.4	18.1	85	81.7	88.3	x	x	x
Manitoba											
Both sexes	**54,220**	**100**	**12**	**9.7**	**14.1**	**88**	**85.4**	**90.1**	**x**	**x**	**x**
Male	24,870	100	10	7.5	13.4	89	85.4	92.1	x	x	x
Female	29,350	100	13	10.2	16.6	87	83.4	89.8	x	x	x
Saskatchewan											
Both sexes	**36,400**	**100**	**14**	**11.8**	**15.6**	**85**	**83.0**	**87.1**	**1 [E]**	**0.7**	**2.3**
Male	17,070	100	13	10.5	16.3	86	82.2	88.3	x	x	x
Female	19,330	100	14	11.5	16.8	85	81.9	87.5	x	x	x
Alberta											
Both sexes	**73,100**	**100**	**11**	**9.7**	**13.2**	**88**	**85.9**	**89.5**	**1 [E]**	**0.5**	**1.7**
Male	33,950	100	8	6.4	10.6	91	88.4	92.8	x	x	x
Female	39,150	100	14	11.5	16.8	85	82.2	87.7	x	x	x
British Columbia											
Both sexes	**51,590**	**100**	**12**	**9.8**	**14.2**	**88**	**85.2**	**89.7**	**x**	**x**	**x**
Male	23,200	100	11	8.0	14.0	89	85.1	91.4	x	x	x
Female	28,390	100	13	10.1	16.3	87	83.4	89.6	x	x	x
Territories											
Both sexes	**3,680**	**100**	**10 [E]**	**6.6**	**13.6**	**90**	**86.1**	**93.2**	**x**	**x**	**x**
Male	1,800	100	11 [E]	6.2	17.1	89	82.2	93.4	x	x	x
Female	1,880	100	9 [E]	5.2	14.1	91	85.9	94.8	x	x	x

Notes:
Atlantic region includes Newfoundland and Labrador, Prince Edward Island, Nova Scotia and New Brunswick.
Territories include Yukon, Northwest Territories and Nunavut.
Based on the question: "The next questions ask about long to term health conditions that you may have now. Long term health conditions are conditions that have lasted or are expected to last six months or more. Have you been told by a doctor, nurse or other health professional that you have....?"
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 3.4
Chronic conditions: asthma, Métis adults aged 15 and over, by sex, Canada, provinces and territories, 2006

Geography and sex	Total		Yes			No			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to
Canada											
Both sexes	**340,440**	**100**	**14**	**13.2**	**15.2**	**85**	**84.2**	**86.2**	**1 [E]**	**0.4**	**0.9**
Male	160,310	100	11	10.2	12.8	88	86.4	89.0	1 [E]	0.5	1.3
Female	180,130	100	17	15.2	18.1	83	81.4	84.4	0 [E]	0.2	0.7
Atlantic Region											
Both sexes	**17,980**	**100**	**12**	**9.3**	**15.6**	**87**	**83.4**	**90.0**	**x**	**x**	**x**
Male	9,050	100	10 [E]	6.2	14.8	89	83.4	93.0	x	x	x
Female	8,930	100	15	10.5	19.8	85	79.7	89.1	x	x	x
Quebec											
Both sexes	**32,650**	**100**	**18**	**14.0**	**22.2**	**82**	**77.1**	**85.4**	**x**	**x**	**x**
Male	14,930	100	12 [E]	8.1	16.9	87	81.7	90.8	x	x	x
Female	17,720	100	23	16.9	29.9	77	70.1	83.0	x	x	x
Ontario											
Both sexes	**70,820**	**100**	**17**	**14.2**	**19.2**	**83**	**80.2**	**85.3**	**x**	**x**	**x**
Male	35,440	100	12	9.5	16.2	87	82.9	89.9	x	x	x
Female	35,380	100	21	17.2	24.5	79	75.1	82.5	x	x	x
Manitoba											
Both sexes	**54,220**	**100**	**14**	**11.7**	**16.7**	**86**	**82.9**	**88.0**	**x**	**x**	**x**
Male	24,870	100	12	9.5	16.1	87	82.8	90.0	x	x	x
Female	29,350	100	15	12.1	19.3	85	80.7	87.9	x	x	x
Saskatchewan											
Both sexes	**36,400**	**100**	**10**	**8.7**	**12.0**	**89**	**87.1**	**90.5**	**x**	**x**	**x**
Male	17,070	100	8	6.3	10.7	91	88.3	92.9	x	x	x
Female	19,330	100	12	9.8	14.7	87	84.3	89.5	x	x	x
Alberta											
Both sexes	**73,100**	**100**	**14**	**12.6**	**16.4**	**85**	**82.8**	**86.8**	**F**	**F**	**F**
Male	33,950	100	12	10.1	15.0	87	84.2	89.2	x	x	x
Female	39,150	100	16	13.6	19.3	83	80.0	85.8	x	x	x
British Columbia											
Both sexes	**51,590**	**100**	**12**	**10.2**	**14.3**	**88**	**85.3**	**89.4**	**x**	**x**	**x**
Male	23,200	100	10	7.8	13.7	89	85.8	91.8	x	x	x
Female	28,390	100	13	10.8	16.6	86	83.0	88.8	x	x	x
Territories											
Both sexes	**3,680**	**100**	**14 [E]**	**10.0**	**19.8**	**85**	**79.6**	**89.3**	**x**	**x**	**x**
Male	1,800	100	10 [E]	6.3	16.2	89	82.9	92.9	x	x	x
Female	1,880	100	18 [E]	11.3	27.3	82	72.2	88.3	x	x	x

Notes:
Atlantic region includes Newfoundland and Labrador, Prince Edward Island, Nova Scotia and New Brunswick.
Territories include Yukon, Northwest Territories and Nunavut.
Based on the question: "The next questions ask about long to term health conditions that you may have now. Long term health conditions are conditions that have lasted or are expected to last six months or more. Have you been told by a doctor, nurse or other health professional that you have....?"
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 3.5
Chronic conditions: diabetes, Métis adults aged 15 and over, by sex, Canada, provinces and territories, 2006

Geography and sex	Total		Yes			No			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to
Canada											
Both sexes	**340,440**	**100**	**7**	**6.1**	**7.4**	**93**	**92.0**	**93.4**	**1 E**	**0.4**	**0.8**
Male	160,310	100	7	6.0	7.9	92	91.3	93.4	1 E	0.4	1.2
Female	180,130	100	7	5.8	7.6	93	92.0	93.8	0 E	0.2	0.7
Atlantic Region											
Both sexes	**17,980**	**100**	**6 E**	**4.0**	**7.9**	**94**	**92.1**	**96.0**	**x**	**x**	**x**
Male	9,050	100	7 E	4.5	10.9	93	89.1	95.5	x	x	x
Female	8,930	100	4 E	2.5	7.1	96	92.9	97.5	x	x	x
Quebec											
Both sexes	**32,650**	**100**	**6 E**	**4.3**	**9.1**	**93**	**90.1**	**95.0**	**x**	**x**	**x**
Male	14,930	100	F	F	F	92	86.2	95.6	x	x	x
Female	17,720	100	6 E	3.9	8.5	94	90.8	95.7	x	x	x
Ontario											
Both sexes	**70,820**	**100**	**7**	**5.6**	**9.1**	**92**	**90.4**	**93.9**	**x**	**x**	**x**
Male	35,440	100	6 E	4.3	9.2	93	90.2	95.2	x	x	x
Female	35,380	100	8	5.8	10.9	92	88.7	93.8	x	x	x
Manitoba											
Both sexes	**54,220**	**100**	**7**	**5.4**	**8.9**	**93**	**90.7**	**94.3**	**x**	**x**	**x**
Male	24,870	100	6 E	4.3	8.8	93	90.0	95.1	x	x	x
Female	29,350	100	8	5.5	10.4	92	89.6	94.5	x	x	x
Saskatchewan											
Both sexes	**36,400**	**100**	**8**	**6.8**	**10.0**	**91**	**89.0**	**92.4**	**F**	**F**	**F**
Male	17,070	100	9	6.7	11.3	90	87.7	92.6	x	x	x
Female	19,330	100	8	5.8	10.4	91	88.4	93.4	x	x	x
Alberta											
Both sexes	**73,100**	**100**	**6**	**4.9**	**7.3**	**93**	**92.0**	**94.6**	**x**	**x**	**x**
Male	33,950	100	6	4.4	7.8	93	91.0	94.7	x	x	x
Female	39,150	100	6	4.6	8.0	94	91.6	95.2	x	x	x
British Columbia											
Both sexes	**51,590**	**100**	**7**	**5.2**	**8.3**	**93**	**91.1**	**94.4**	**x**	**x**	**x**
Male	23,200	100	8	6.0	11.4	91	88.1	93.7	x	x	x
Female	28,390	100	5 E	3.6	7.4	94	92.0	96.0	x	x	x
Territories											
Both sexes	**3,680**	**100**	**7 E**	**4.6**	**10.0**	**92**	**88.0**	**94.5**	**x**	**x**	**x**
Male	1,800	100	7 E	3.9	10.9	91	84.3	94.5	x	x	x
Female	1,880	100	7 E	3.8	12.4	93	87.6	96.2	x	x	x

Notes:
Atlantic region includes Newfoundland and Labrador, Prince Edward Island, Nova Scotia and New Brunswick.
Territories include Yukon, Northwest Territories and Nunavut.
Based on the question: "The next questions ask about long to term health conditions that you may have now. Long term health conditions are conditions that have lasted or are expected to last six months or more. Have you been told by a doctor, nurse or other health professional that you have....?"
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 4
Frequency of sports participation, including taking lessons, Métis children aged 6 to 14, by sex, Canada, provinces and territories, 2006

Geography and sex	Total		Less than once a week or never			1 to 3 times a week			4 or more times a week			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to	%	from	to
Canada														
Both sexes	**73,670**	**100**	**29**	**27.3**	**30.2**	**48**	**46.5**	**49.6**	**22**	**21.0**	**23.6**	**1 [E]**	**0.7**	**1.3**
Boys	36,940	100	26	24.6	28.4	45	43.0	47.3	28	25.8	29.5	1 [E]	0.5	1.4
Girls	36,730	100	31	29.0	33.1	51	48.8	53.2	17	15.2	18.8	1 [E]	0.7	1.7
Atlantic Region														
Both sexes	**3,190**	**100**	**33**	**27.2**	**38.4**	**44**	**38.5**	**49.7**	**23**	**18.3**	**28.0**	**x**	**x**	**x**
Boys	1,610	100	29	21.7	36.4	43	36.1	51.9	27	20.0	34.1	x	x	x
Girls	1,580	100	37	28.8	45.2	44	36.3	52.6	19 [E]	13.3	26.6	x	x	x
Quebec														
Both sexes	**4,880**	**100**	**26**	**21.6**	**31.1**	**51**	**44.9**	**56.4**	**22**	**17.8**	**27.7**	**x**	**x**	**x**
Boys	2,390	100	28	20.9	35.3	46	37.7	53.9	26	19.6	34.0	x	x	x
Girls	2,480	100	25	18.6	31.8	56	47.5	63.1	19 [E]	12.9	26.3	x	x	x
Ontario														
Both sexes	**13,000**	**100**	**29**	**24.9**	**32.9**	**46**	**42.4**	**50.5**	**24**	**20.4**	**27.4**	**x**	**x**	**x**
Boys	6,150	100	29	23.5	35.0	42	36.1	47.7	28	23.4	33.6	x	x	x
Girls	6,850	100	29	23.4	34.4	51	44.8	56.3	20	15.2	25.1	x	x	x
Manitoba														
Both sexes	**12,970**	**100**	**27**	**23.9**	**30.9**	**50**	**46.2**	**54.5**	**22**	**18.5**	**25.4**	**x**	**x**	**x**
Boys	6,660	100	24	19.5	28.5	47	41.2	52.5	29	24.1	34.3	x	x	x
Girls	6,310	100	31	25.7	36.8	54	47.9	60.1	14	10.5	19.1	x	x	x
Saskatchewan														
Both sexes	**9,550**	**100**	**26**	**23.3**	**29.3**	**49**	**45.7**	**52.3**	**23**	**20.7**	**26.4**	**x**	**x**	**x**
Boys	5,010	100	25	21.4	29.3	46	41.7	50.6	28	24.1	32.3	x	x	x
Girls	4,540	100	27	23.1	31.9	52	47.2	57.0	19	14.8	22.7	x	x	x
Alberta														
Both sexes	**16,700**	**100**	**31**	**28.0**	**33.9**	**46**	**43.1**	**49.3**	**22**	**19.2**	**24.3**	**1 [E]**	**0.7**	**2.5**
Boys	8,470	100	27	23.0	31.2	44	39.4	48.5	28	24.3	32.1	x	x	x
Girls	8,240	100	35	30.9	39.3	48	44.2	52.7	15	12.2	18.4	x	x	x
British Columbia														
Both sexes	**12,450**	**100**	**30**	**26.4**	**33.2**	**50**	**45.7**	**53.3**	**21**	**18.0**	**23.8**	**x**	**x**	**x**
Boys	6,180	100	26	21.8	30.7	48	42.8	53.4	26	21.6	30.5	x	x	x
Girls	6,270	100	33	28.3	38.5	51	45.7	56.3	16	12.4	19.8	x	x	x
Territories														
Both sexes	**930**	**100**	**25**	**18.1**	**34.3**	**44**	**36.5**	**52.7**	**27**	**20.8**	**35.2**	**x**	**x**	**x**
Boys	470	100	32	21.1	43.7	40	30.0	52.9	23 [E]	16.5	34.0	x	x	x
Girls	460	100	F	F	F	48	36.5	59.6	30 [E]	21.2	42.3	x	x	x

Notes:
Atlantic region includes Newfoundland and Labrador, Prince Edward Island, Nova Scotia and New Brunswick.
Territories include Yukon, Northwest Territories and Nunavut.
Based on the question: "Now, I will read you a list of activities. Please tell me how often he/she carries out each one. Include only time spent doing these activities outside of school hours. Play sports, including taking lessons?"
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 5.1
Métis adults aged 15 and over who have a regular family doctor, by sex and age, Canada, 2006

Age and sex	Total	Yes			No			Not stated		
			95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to
Both Sexes	**340,440**	**100**	**81**	**79.6**	**81.6**	**16**	**15.2**	**17.1**	**3**	**2.8**	**3.8**
15 to 19	43,800	100	83	80.2	85.4	15	12.6	17.8	2 E	1.4	2.9
20 to 24	32,430	100	71	66.7	74.4	26	21.9	29.4	4 E	2.6	5.5
25 to 34	64,710	100	76	73.0	78.3	20	17.6	22.5	4	3.2	5.7
35 to 44	72,160	100	79	76.4	81.7	17	15.0	19.8	4 E	2.4	5.2
45 to 54	66,110	100	85	82.3	86.8	13	11.3	15.4	2 E	1.4	3.2
55 to 64	38,060	100	86	83.0	88.7	12	9.2	14.6	2 E	1.5	3.5
65 and over	23,170	100	87	83.5	90.5	6 E	4.2	8.7	6 E	4.2	9.7
Male	**160,310**	**100**	**77**	**74.9**	**78.2**	**20**	**18.9**	**22.0**	**3**	**2.5**	**3.8**
15 to 19	21,760	100	80	75.4	83.9	18	14.6	22.9	2 E	0.9	2.9
20 to 24	14,080	100	64	57.4	69.6	32	26.7	38.5	4 E	2.3	6.8
25 to 34	28,970	100	67	62.9	71.4	29	24.8	33.2	4 E	2.6	5.9
35 to 44	32,770	100	73	68.6	77.0	23	19.2	27.2	4 E	2.6	6.2
45 to 54	31,550	100	83	79.1	85.9	15	12.2	18.5	F	F	F
55 to 64	19,850	100	84	79.6	87.5	14	10.4	17.8	2 E	1.3	4.3
65 and over	11,330	100	89	85.0	92.7	7 E	4.4	11.1	4 E	1.9	6.4
Female	**180,130**	**100**	**84**	**82.9**	**85.5**	**12**	**11.2**	**13.5**	**3**	**2.9**	**4.3**
15 to 19	22,040	100	86	82.5	88.8	12	9.1	15.0	2 E	1.5	3.7
20 to 24	18,350	100	76	71.2	80.4	20	16.1	25.1	4 E	2.2	5.9
25 to 34	35,730	100	83	79.2	85.7	13	10.1	15.9	5 E	3.1	6.8
35 to 44	39,400	100	84	80.8	87.2	13	10.2	15.6	3 E	1.7	5.8
45 to 54	34,560	100	86	83.2	89.1	11	9.0	14.5	2 E	1.3	3.4
55 to 64	18,210	100	88	83.7	92.0	9 E	6.1	14.2	2 E	1.2	4.0
65 and over	11,840	100	86	78.9	90.3	5 E	2.8	9.2	9 E	5.5	15.4

Notes:
Percentages may not add up to 100% due to rounding.
Based on the question: "Do you have a regular medical doctor or family doctor?"
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 5.2
Métis adults aged 15 and over who have a regular family doctor, by sex and age, Atlantic region, 2006

Age and sex	Total		Yes			No			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to
Both Sexes	**17,980**	**100**	**80**	**76.4**	**82.6**	**13**	**10.5**	**16.0**	**7**	**5.9**	**9.0**
15 to 19	1,750	100	83	73.6	90.2	x	x	x	x	x	x
20 to 24	1,580	100	66	50.0	79.7	F	F	F	11 [E]	6.0	19.9
25 to 34	2,950	100	76	66.4	83.8	17 [E]	10.6	26.1	7 [E]	4.1	11.2
35 to 44	3,720	100	75	66.2	82.2	16 [E]	10.1	24.2	9 [E]	5.4	14.6
45 to 54	4,230	100	87	80.3	90.8	8 [E]	4.6	14.4	5 [E]	3.3	8.6
55 to 64	2,410	100	88	77.5	94.4	x	x	x	x	x	x
65 and over	1,350	100	74	58.2	85.2	x	x	x	12 [E]	6.1	21.3
Male	**9,050**	**100**	**79**	**73.8**	**83.5**	**13**	**9.7**	**18.3**	**8** [E]	**5.4**	**10.4**
15 to 19	1,020 [E]	100	86	72.3	93.9	x	x	x	x	x	x
20 to 24	640 [E]	100	66	43.8	83.7	x	x	x	x	x	x
25 to 34	1,150 [E]	100	81	65.1	89.8	x	x	x	x	x	x
35 to 44	1,800	100	66	52.5	77.4	23 [E]	12.9	36.4	12 [E]	6.2	20.0
45 to 54	2,380	100	90	83.3	94.0	x	x	x	6 [E]	3.5	11.0
55 to 64	1,380 [E]	100	83	65.8	92.6	x	x	x	x	x	x
65 and over	680 [E]	100	66 [E]	41.4	84.2	x	x	x	x	x	x
Female	**8,930**	**100**	**80**	**75.4**	**84.5**	**13**	**9.1**	**17.1**	**7**	**5.1**	**9.8**
15 to 19	730 [E]	100	79	63.1	89.9	x	x	x	x	x	x
20 to 24	950 [E]	100	66	43.8	83.4	x	x	x	x	x	x
25 to 34	1,800	100	73	60.5	83.5	17 [E]	9.6	29.6	9 [E]	4.9	15.8
35 to 44	1,910	100	84	72.5	90.7	x	x	x	x	x	x
45 to 54	1,850	100	82	69.8	89.9	x	x	x	x	x	x
55 to 64	1,020 [E]	100	96	82.4	99.0	x	x	x	x	x	x
65 and over	680 [E]	100	81	64.9	91.7	x	x	x	x	x	x

Notes:
Atlantic region includes Newfoundland and Labrador, Prince Edward Island, Nova Scotia and New Brunswick.
Percentages may not add up to 100% due to rounding.
Based on the question: "Do you have a regular medical doctor or family doctor?"
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 5.3
Métis adults aged 15 and over who have a regular family doctor, by sex and age, Quebec, 2006

Age and sex	Total		Yes			No			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to
Both Sexes	**32,650**	**100**	**72**	**67.3**	**76.0**	**24**	**20.4**	**28.6**	**4** [E]	**2.8**	**5.5**
15 to 19	3,080 [E]	100	74	57.3	85.7	F	F	F	x	x	x
20 to 24	1,940	100	58	41.8	73.0	37 [E]	22.1	53.8	x	x	x
25 to 34	5,760	100	63	52.0	73.1	31 [E]	22.1	42.5	x	x	x
35 to 44	6,620	100	67	56.0	75.9	29 [E]	19.8	39.2	x	x	x
45 to 54	5,870	100	72	62.3	80.6	25 [E]	16.8	35.1	x	x	x
55 to 64	6,140	100	79	66.7	87.6	18 [E]	10.1	31.1	x	x	x
65 and over	3,240	100	90	81.8	94.0	x	x	x	x	x	x
Male	**14,930**	**100**	**68**	**62.0**	**74.3**	**27**	**22.0**	**33.7**	**4** [E]	**2.3**	**7.2**
15 to 19	1,520 [E]	100	F	F	F	F	F	F	x	x	x
20 to 24	780 [E]	100	53 [E]	29.9	72.9	F	F	F	x	x	x
25 to 34	2,880 [E]	100	56	38.8	71.1	40 [E]	24.9	56.9	x	x	x
35 to 44	2,710	100	63	50.0	75.5	28 [E]	18.0	41.2	x	x	x
45 to 54	2,710	100	69	57.9	78.7	30 [E]	20.7	41.5	x	x	x
55 to 64	3,040	100	80	68.3	88.6	17 [E]	9.1	29.0	x	x	x
65 and over	1,290 [E]	100	88	75.2	94.5	x	x	x	x	x	x
Female	**17,720**	**100**	**75**	**68.3**	**80.2**	**22**	**16.2**	**28.0**	**4** [E]	**2.5**	**5.5**
15 to 19	1,560 [E]	100	79	61.6	90.6	F	F	F	x	x	x
20 to 24	1,160 [E]	100	63 [E]	41.3	80.0	x	x	x	x	x	x
25 to 34	2,880	100	71	58.6	80.6	23 [E]	14.6	34.4	x	x	x
35 to 44	3,910	100	69	53.3	81.0	29 [E]	16.9	44.6	x	x	x
45 to 54	3,160	100	75	57.5	87.0	F	F	F	x	x	x
55 to 64	3,100 [E]	100	78	55.0	90.8	x	x	x	x	x	x
65 and over	1,950 [E]	100	90	79.0	95.9	x	x	x	x	x	x

Notes:
Percentages may not add up to 100% due to rounding.
Based on the question: "Do you have a regular medical doctor or family doctor?"
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 5.4
Métis adults aged 15 and over who have a regular family doctor, by sex and age, Ontario, 2006

Age and sex	Total		Yes			No			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to
Both Sexes	**70,820**	**100**	**86**	**82.9**	**87.8**	**12**	**9.9**	**14.3**	**3** [E]	**1.5**	**4.3**
15 to 19	8,550	100	86	79.1	91.2	14 [E]	8.6	20.7	x	x	x
20 to 24	6,260	100	85	76.1	91.5	13 [E]	7.5	22.8	x	x	x
25 to 34	11,690	100	85	79.0	89.6	13 [E]	8.7	18.7	x	x	x
35 to 44	15,840	100	85	77.6	90.6	11 [E]	6.6	16.8	x	x	x
45 to 54	16,060	100	86	80.0	90.7	12 [E]	7.5	17.9	x	x	x
55 to 64	8,190	100	86	78.9	91.0	14 [E]	9.0	21.1	x	x	x
65 and over	4,230	100	83	68.1	91.9	x	x	x	x	x	x
Male	**35,440**	**100**	**82**	**78.1**	**85.5**	**16**	**13.1**	**20.4**	**F**	**F**	**F**
15 to 19	4,530	100	84	72.8	90.7	16 [E]	9.0	26.8	x	x	x
20 to 24	2,730	100	75	58.2	87.2	F	F	F	x	x	x
25 to 34	4,700	100	76	63.4	84.5	23 [E]	14.2	34.7	x	x	x
35 to 44	8,560	100	84	74.5	90.6	13 [E]	6.9	22.5	x	x	x
45 to 54	8,200	100	86	76.6	92.0	14 [E]	7.8	23.2	x	x	x
55 to 64	4,450	100	78	66.3	86.2	22 [E]	13.8	33.7	x	x	x
65 and over	2,270 [E]	100	87	71.6	95.0	x	x	x	x	x	x
Female	**35,380**	**100**	**89**	**85.2**	**91.8**	**7** [E]	**5.3**	**10.3**	**F**	**F**	**F**
15 to 19	4,020	100	89	78.0	95.1	x	x	x	x	x	x
20 to 24	3,530	100	93	84.0	97.2	x	x	x	x	x	x
25 to 34	6,990	100	91	86.1	94.9	6 [E]	3.3	11.2	x	x	x
35 to 44	7,280	100	87	73.2	93.8	F	F	F	x	x	x
45 to 54	7,860	100	86	77.2	92.1	F	F	F	x	x	x
55 to 64	3,740	100	96	90.1	98.3	x	x	x	x	x	x
65 and over	1,970 [E]	100	78	50.9	92.5	x	x	x	x	x	x

Notes:
Percentages may not add up to 100% due to rounding.
Based on the question: "Do you have a regular medical doctor or family doctor?"
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 5.5
Métis adults aged 15 and over who have a regular family doctor, by sex and age, Manitoba, 2006

Age and sex	Total		Yes			No			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to
Both Sexes	**54,220**	**100**	**80**	**77.3**	**83.0**	**16**	**13.6**	**18.7**	**4** [E]	**2.5**	**5.7**
15 to 19	7,900	100	80	73.3	86.1	16 [E]	10.7	23.1	x	x	x
20 to 24	4,730	100	62	50.2	73.2	34 [E]	23.8	46.8	x	x	x
25 to 34	10,660	100	78	70.4	83.9	17 [E]	11.5	23.4	F	F	F
35 to 44	10,750	100	77	69.1	84.0	19 [E]	12.9	26.6	x	x	x
45 to 54	11,320	100	85	78.1	89.5	12 [E]	8.5	17.7	x	x	x
55 to 64	5,100	100	87	78.3	92.7	11 [E]	6.1	20.0	x	x	x
65 and over	3,750	100	95	82.0	98.7	x	x	x	x	x	x
Male	**24,870**	**100**	**77**	**72.2**	**81.5**	**20**	**15.7**	**24.4**	**F**	**F**	**F**
15 to 19	3,620	100	78	66.8	85.8	19 [E]	11.5	29.5	x	x	x
20 to 24	1,960 [E]	100	54 [E]	36.4	70.9	45 [E]	28.3	63.0	x	x	x
25 to 34	4,930	100	75	64.4	83.2	22 [E]	14.1	32.8	x	x	x
35 to 44	4,540	100	73	57.9	84.7	23 [E]	13.0	38.3	x	x	x
45 to 54	5,130	100	78	65.6	86.1	17 [E]	10.1	26.1	x	x	x
55 to 64	2,820 [E]	100	87	72.9	94.1	x	x	x	x	x	x
65 and over	1,870 [E]	100	100	99.8	100.0	x	x	x	x	x	x
Female	**29,350**	**100**	**83**	**79.2**	**86.0**	**13**	**10.1**	**16.1**	**4** [E]	**2.6**	**6.9**
15 to 19	4,280	100	83	72.6	89.7	F	F	F	x	x	x
20 to 24	2,770	100	68	52.2	80.8	27 [E]	15.0	43.0	x	x	x
25 to 34	5,730	100	80	68.9	88.4	12 [E]	6.3	21.5	x	x	x
35 to 44	6,220	100	80	71.1	87.1	16 [E]	9.7	24.2	x	x	x
45 to 54	6,190	100	91	84.4	94.5	9 [E]	5.1	15.0	x	x	x
55 to 64	2,290	100	87	74.5	94.3	x	x	x	x	x	x
65 and over	1,880 [E]	100	90	68.0	97.5	x	x	x	x	x	x

Notes:
Percentages may not add up to 100% due to rounding.
Based on the question: "Do you have a regular medical doctor or family doctor?"
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 5.6
Métis adults aged 15 and over who have a regular family doctor, by sex and age, Saskatchewan, 2006

Age and sex	Total		Yes			No			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to
Both Sexes	**36,400**	**100**	**79**	**76.8**	**81.5**	**18**	**15.5**	**19.8**	**3**	**2.3**	**4.4**
15 to 19	5,870	100	80	74.2	85.0	17	12.6	22.4	x	x	x
20 to 24	4,220	100	68	60.3	75.5	29	22.1	36.8	x	x	x
25 to 34	8,010	100	76	70.3	80.6	21	16.8	26.8	x	x	x
35 to 44	6,760	100	76	69.9	81.5	17	12.9	23.3	6 [E]	3.8	10.3
45 to 54	6,150	100	86	80.6	90.1	13 [E]	9.1	18.5	x	x	x
55 to 64	3,140	100	90	83.2	94.7	9 [E]	4.9	16.1	x	x	x
65 and over	2,250	100	85	74.9	91.7	X	X	X	x	x	x
Male	**17,070**	**100**	**75**	**71.5**	**79.0**	**21**	**18.0**	**25.2**	**3** [E]	**2.0**	**4.9**
15 to 19	2,920	100	81	72.8	87.6	16 [E]	10.5	24.9	x	x	x
20 to 24	1,890	100	59	46.4	70.9	40	28.3	52.8	x	x	x
25 to 34	3,680	100	67	58.0	74.2	31	23.3	39.2	x	x	x
35 to 44	3,080	100	71	60.5	79.3	21 [E]	13.6	30.6	x	x	x
45 to 54	2,610	100	83	74.0	89.7	15 [E]	9.0	24.6	x	x	x
55 to 64	1,840	100	91	79.8	95.9	x	x	x	x	x	x
65 and over	1,050 [E]	100	88	70.4	95.1	x	x	x	x	x	x
Female	**19,330**	**100**	**83**	**79.6**	**85.4**	**14**	**11.7**	**17.0**	**3** [E]	**2.0**	**5.0**
15 to 19	2,960	100	79	70.3	85.7	17 [E]	11.6	25.3	x	x	x
20 to 24	2,320	100	76	65.5	83.7	20 [E]	12.8	29.5	x	x	x
25 to 34	4,320	100	84	76.2	89.0	13 [E]	8.5	20.6	x	x	x
35 to 44	3,680	100	81	72.9	86.8	15 [E]	9.5	22.1	x	x	x
45 to 54	3,550	100	88	81.0	92.6	12 [E]	7.0	18.5	x	x	x
55 to 64	1,300	100	91	78.9	95.7	x	x	x	x	x	x
65 and over	1190	100	83	68.1	92.2	x	x	x	x	x	x

Notes:
Percentages may not add up to 100% due to rounding.
Based on the question: "Do you have a regular medical doctor or family doctor?"
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 5.7
Métis adults aged 15 and over who have a regular family doctor, by sex and age, Alberta, 2006

Age and sex	Total	Yes			No			Not stated		
			95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to
Both Sexes	**73,100**	**100**	**79**	**76.9**	**81.3**	**18**	**16.0**	**20.2**	**3** [E]	**2.0**	**4.0**
15 to 19	9,610	100	87	80.4	91.1	13 [E]	8.2	18.8	x	x	x
20 to 24	8,030	100	68	59.7	74.9	28	21.0	35.4	x	x	x
25 to 34	16,070	100	73	66.8	78.6	23	17.9	29.3	4 [E]	2.1	6.7
35 to 44	16,420	100	77	71.3	81.5	21	16.4	26.0	x	x	x
45 to 54	11,200	100	86	81.4	89.9	13	9.6	18.0	x	x	x
55 to 64	7,380	100	87	79.5	91.8	9 [E]	5.3	16.5	x	x	x
65 and over	4,390	100	85	76.0	90.5	x	x	x	x	x	x
Male	**33,950**	**100**	**72**	**68.2**	**75.6**	**25**	**21.8**	**29.0**	**3** [E]	**1.6**	**4.5**
15 to 19	4,840	100	81	70.6	88.5	19 [E]	11.5	29.4	x	x	x
20 to 24	3,770	100	62	50.7	72.8	32 [E]	22.6	43.6	x	x	x
25 to 34	7,340	100	58	48.3	66.5	39	30.1	48.0	x	x	x
35 to 44	6,870	100	64	54.7	71.6	33	25.7	42.5	x	x	x
45 to 54	5,710	100	87	80.3	91.9	13 [E]	8.1	19.7	x	x	x
55 to 64	3,320	100	86	71.1	93.6	x	x	x	x	x	x
65 and over	2,110	100	84	70.5	92.0	x	x	x	x	x	x
Female	**39,150**	**100**	**85**	**82.5**	**87.9**	**12**	**9.4**	**14.3**	**3** [E]	**2.0**	**4.5**
15 to 19	4,770	100	92	85.2	96.0	x	x	x	x	x	x
20 to 24	4,260	100	73	61.2	81.5	24 [E]	15.3	34.7	x	x	x
25 to 34	8,730	100	86	77.9	91.6	F	F	F	x	x	x
35 to 44	9,560	100	86	79.2	91.2	12 [E]	7.3	18.0	x	x	x
45 to 54	5,490	100	85	77.6	90.4	14 [E]	8.6	21.1	x	x	x
55 to 64	4,060	100	88	79.6	92.9	9 [E]	5.0	17.1	x	x	x
65 and over	2,270	100	85	72.3	92.8	x	x	x	x	x	x

Notes:
Percentages may not add up to 100% due to rounding.
Based on the question: "Do you have a regular medical doctor or family doctor?"
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 5.8
Métis adults aged 15 and over who have a regular family doctor, by sex and age, British Columbia, 2006

Age and sex	Total		Yes			No			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to
Both Sexes	**51,590**	**100**	**85**	**82.2**	**87.5**	**12**	**9.9**	**14.9**	**3** [E]	**1.9**	**4.2**
15 to 19	6,440	100	86	77.7	91.5	12 [E]	6.9	20.4	x	x	x
20 to 24	5,180	100	78	66.2	86.0	18 [E]	10.6	29.7	x	x	x
25 to 34	8,960	100	75	66.6	82.5	18 [E]	11.8	26.4	F	F	F
35 to 44	11,300	100	87	81.3	91.8	12 [E]	8.0	18.5	x	x	x
45 to 54	10,650	100	88	82.0	91.6	10 [E]	6.8	15.8	x	x	x
55 to 64	5,340	100	91	84.6	95.1	x	x	x	x	x	x
65 and over	3,720	100	94	81.3	98.1	x	x	x	x	x	x
Male	**23,200**	**100**	**81**	**76.8**	**85.1**	**15**	**11.7**	**19.6**	**3** [E]	**2.1**	**5.6**
15 to 19	3,090	100	80	65.9	89.2	x	x	x	x	x	x
20 to 24	1,990 [E]	100	75	57.6	86.4	x	x	x	x	x	x
25 to 34	4,000	100	74	61.4	83.1	18 [E]	9.6	29.9	x	x	x
35 to 44	4,890	100	77	64.7	85.7	23 [E]	13.9	34.8	x	x	x
45 to 54	4,490	100	83	73.0	90.1	14 [E]	7.7	24.0	x	x	x
55 to 64	2,800	100	91	81.8	96.3	x	x	x	x	x	x
65 and over	1,940	100	98	91.5	99.8	x	x	x	x	x	x
Female	**28,390**	**100**	**88**	**84.3**	**91.1**	**10**	**6.9**	**13.2**	**F**	**F**	**F**
15 to 19	3,350	100	92	81.4	96.4	x	x	x	x	x	x
20 to 24	3,180	100	80	64.1	89.5	x	x	x	x	x	x
25 to 34	4,970	100	77	63.7	86.2	18 [E]	10.2	30.8	x	x	x
35 to 44	6,410	100	96	90.7	98.0	x	x	x	x	x	x
45 to 54	6,160	100	91	83.5	95.0	x	x	x	x	x	x
55 to 64	2,540	100	91	80.5	96.0	x	x	x	x	x	x
65 and over	1,780 [E]	100	88	65.5	96.7	x	x	x	x	x	x

Notes:
Percentages may not add up to 100% due to rounding.
Based on the question: "Do you have a regular medical doctor or family doctor?"
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 5.9
Métis adults aged 15 and over who have a regular family doctor, by sex and age, territories, 2006

Age and sex	Total		Yes			No			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to
Both Sexes	**3,680**	**100**	**54**	**47.4**	**59.4**	**45**	**38.7**	**50.7**	**x**	**x**	**x**
15 to 19	590 [E]	100	51 [E]	34.6	67.2	46 [E]	29.8	62.2	x	x	x
20 to 24	490 [E]	100	F	F	F	71	53.6	84.6	x	x	x
25 to 34	610	100	54	39.6	67.9	44 [E]	30.7	59.2	x	x	x
35 to 44	750	100	60	46.1	71.9	40 [E]	27.1	52.9	x	x	x
45 to 54	620	100	63	49.4	74.6	35 [E]	23.9	49.0	x	x	x
55 to 64	370	100	54	38.4	69.1	46 [E]	30.9	61.6	x	x	x
65 and over	250 [E]	100	72	51.1	88.8	x	x	x	x	x	x
Male	**1,800**	**100**	**48**	**39.7**	**55.7**	**49**	**40.8**	**56.8**	**x**	**x**	**x**
15 to 19	220 [E]	100	55 [E]	31.7	75.3	x	x	x	x	x	x
20 to 24	320 [E]	100	x	x	x	72	51.1	86.9	x	x	x
25 to 34	290 [E]	100	x	x	x	66	44.7	82.0	x	x	x
35 to 44	320 [E]	100	59	40.9	73.4	44 [E]	26.6	59.1	x	x	x
45 to 54	320 [E]	100	59	41.6	76.5	38 [E]	20.7	55.6	x	x	x
55 to 64	210 [E]	100	52 [E]	29.4	71.1	x	x	x	x	x	x
65 and over	120 [E]	100	F	F	F	x	x	x	x	x	x
Female	**1,880**	**100**	**59**	**50.4**	**67.1**	**41**	**32.6**	**49.2**	**x**	**x**	**x**
15 to 19	370 [E]	100	F	F	F	51 [E]	29.6	72.0	x	x	x
20 to 24	180 [E]	100	x	x	x	F	F	F	x	x	x
25 to 34	320 [E]	100	75	57.5	86.5	25 [E]	13.5	42.5	x	x	x
35 to 44	430 [E]	100	60	41.0	77.8	F	F	F	x	x	x
45 to 54	300 [E]	100	63	47.9	79.7	33 [E]	20.3	52.1	x	x	x
55 to 64	160 [E]	100	56 [E]	37.4	77.9	x	x	x	x	x	x
65 and over	F	100	x	x	x	x	x	x	x	x	x

Notes:
Territories include Yukon, Northwest Territories and Nunavut.
Percentages may not add up to 100% due to rounding.
Based on the question: "Do you have a regular medical doctor or family doctor?"
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 6
Contact with a pediatrician, general practitioner or family physician in past 12 months, Métis children aged 6 to 14, by sex, Canada, provinces and territories, 2006

Geography and sex	Total		Yes			No			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to
Canada											
Both sexes	**73,670**	**100**	**54**	**52.1**	**55.1**	**46**	**44.5**	**47.5**	**0** [E]	**0.3**	**0.6**
Boys	36,940	100	56	53.7	58.2	44	41.4	45.9	0 [E]	0.2	0.8
Girls	36,730	100	51	49.1	53.5	48	46.1	50.5	F	F	F
Atlantic region											
Both sexes	**3,190**	**100**	**45**	**39.6**	**51.4**	**55**	**48.6**	**60.4**	**x**	**x**	**x**
Boys	1,610	100	46	37.7	54.5	54	45.5	62.3	x	x	x
Girls	1,580	100	45	37.0	52.9	55	47.1	63.0	x	x	x
Quebec											
Both sexes	**4,880**	**100**	**50**	**44.2**	**55.5**	**50**	**44.5**	**55.8**	**x**	**x**	**x**
Boys	2,390	100	50	41.2	57.9	51	42.1	58.8	x	x	x
Girls	2,480	100	50	42.1	58.1	50	41.9	57.9	x	x	x
Ontario											
Both sexes	**13,000**	**100**	**57**	**52.5**	**61.2**	**43**	**38.7**	**47.4**	**x**	**x**	**x**
Boys	6,150	100	59	53.0	65.1	41	34.9	47.0	x	x	x
Girls	6,850	100	55	48.9	60.8	45	39.1	51.0	x	x	x
Manitoba											
Both sexes	**12,970**	**100**	**58**	**53.5**	**61.5**	**42**	**38.3**	**46.4**	**x**	**x**	**x**
Boys	6,660	100	63	57.3	68.0	37	31.8	42.5	x	x	x
Girls	6,310	100	52	45.8	58.1	48	41.7	54.0	x	x	x
Saskatchewan											
Both sexes	**9,550**	**100**	**50**	**46.4**	**53.1**	**50**	**46.6**	**53.3**	**x**	**x**	**x**
Boys	5,010	100	50	45.4	54.8	50	44.9	54.1	x	x	x
Girls	4,540	100	49	44.3	54.4	50	45.3	55.5	x	x	x
Alberta											
Both sexes	**16,700**	**100**	**53**	**50.2**	**56.6**	**46**	**42.6**	**48.9**	**x**	**x**	**x**
Boys	8,470	100	57	51.9	61.1	43	38.1	47.2	x	x	x
Girls	8,240	100	50	45.7	54.5	49	44.6	53.4	x	x	x
British Columbia											
Both sexes	**12,450**	**100**	**53**	**49.6**	**57.1**	**46**	**42.3**	**49.8**	**x**	**x**	**x**
Boys	6,180	100	55	49.2	60.0	45	39.5	50.2	x	x	x
Girls	6,270	100	52	46.7	57.5	47	41.9	52.6	x	x	x
Territories											
Both sexes	**930**	**100**	**46**	**39.5**	**54.5**	**52**	**44.3**	**59.1**	**x**	**x**	**x**
Boys	470	100	49	38.6	59.4	49	38.1	58.9	x	x	x
Girls	460	100	46	34.6	55.6	54	44.4	65.4	x	x	x

Notes:
Atlantic region includes Newfoundland and Labrador, Prince Edward Island, Nova Scotia and New Brunswick.
Territories include Yukon, Northwest Territories and Nunavut.
Based on the question: In the past 12 months, have you seen or talked on the phone with pediatrician, general practitioner or family physician about___'s physical, emotional or mental health?
Percentages may not add up to 100% due to rounding.
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.

Table 7
Métis adults aged 15 and over who did not receive health care when needed, by sex, Canada, provinces and territories, 2006

Geography and sex	Total		Yes			No			Not stated		
				95% confidence interval			95% confidence interval			95% confidence interval	
	count	%	%	from	to	%	from	to	%	from	to
Canada											
Both sexes	**340,440**	**100**	**11**	**10.1**	**11.8**	**88**	**87.0**	**88.8**	**1**	**0.9**	**1.5**
Male	160,310	100	9	8.2	10.5	89	88.0	90.5	1 [E]	1.0	2.1
Female	180,130	100	12	11.2	13.7	87	85.3	87.9	1 [E]	0.7	1.4
Atlantic region											
Both sexes	**17,980**	**100**	**12**	**9.0**	**15.5**	**87**	**83.1**	**90.2**	**x**	**x**	**x**
Male	9,050	100	12 [E]	8.5	16.6	87	81.9	90.7	x	x	x
Female	8,930	100	12 [E]	7.7	17.9	87	81.0	91.6	x	x	x
Quebec											
Both sexes	**32,650**	**100**	**12**	**9.3**	**16.2**	**87**	**82.8**	**89.8**	**F**	**F**	**F**
Male	14,930	100	11 [E]	7.1	15.6	88	83.0	91.8	x	x	x
Female	17,720	100	14 [E]	9.4	19.6	85	79.7	89.9	x	x	x
Ontario											
Both sexes	**70,820**	**100**	**12**	**10.0**	**14.4**	**87**	**84.8**	**89.3**	**x**	**x**	**x**
Male	35,440	100	10	8.1	13.5	89	85.3	91.1	x	x	x
Female	35,380	100	14	10.5	17.4	86	82.1	89.0	x	x	x
Manitoba											
Both sexes	**54,220**	**100**	**10**	**8.1**	**12.3**	**89**	**86.5**	**91.0**	**x**	**x**	**x**
Male	24,870	100	7 [E]	4.9	10.7	91	87.6	94.2	x	x	x
Female	29,350	100	12	9.6	15.7	87	83.4	89.7	x	x	x
Saskatchewan											
Both sexes	**36,400**	**100**	**10**	**8.3**	**11.8**	**88**	**85.7**	**89.8**	**2 [E]**	**1.4**	**3.6**
Male	17,070	100	9	6.8	12.2	89	85.7	91.5	2 [E]	1.0	3.8
Female	19,330	100	11	8.4	13.1	87	84.0	89.5	F	F	F
Alberta											
Both sexes	**73,100**	**100**	**10**	**8.4**	**11.5**	**89**	**87.2**	**90.5**	**1 [E]**	**0.7**	**2.0**
Male	33,950	100	8	6.2	10.5	90	87.8	92.5	x	x	x
Female	39,150	100	11	9.4	13.8	88	85.3	89.8	x	x	x
British Columbia											
Both sexes	**51,590**	**100**	**11**	**8.8**	**13.8**	**88**	**84.9**	**90.0**	**1 [E]**	**0.7**	**2.2**
Male	23,200	100	9 [E]	6.0	13.4	89	84.7	92.4	x	x	x
Female	28,390	100	13	9.9	16.3	87	82.9	89.5	x	x	x
Territories											
Both sexes	**3,680**	**100**	**14**	**9.8**	**18.3**	**84**	**78.3**	**88.0**	**x**	**x**	**x**
Male	1,800	100	14 [E]	9.6	20.1	83	76.1	88.6	x	x	x
Female	1,880	100	13 [E]	7.8	20.9	85	75.9	90.0	x	x	x

Notes:
Atlantic region includes Newfoundland and Labrador, Prince Edward Island, Nova Scotia and New Brunswick.
Territories include Yukon, Northwest Territories and Nunavut.
Based on the question: Was there ever a time when you felt you needed health care but didn't receive it?
Percentages may not add up to 100% due to rounding.
Source: Statistics Canada, Aboriginal Peoples Survey, 2006.